



Internet Explorer

1. Open Internet Explorer and click **Tools** (if you do not see Tools, press the Alt key to show the menu bar)




2. In the Tools menu, click **Internet Options**

3. In the Internet Options window, click the **Privacy** tab




4. Under Pop-up Blocker, click **Settings** to open the Pop-up Blocker Settings window

5. Where it says "Address of website to allow," type the following addresses (including the * symbol), clicking **Add** after each one:




*.mcmaster.ca
*.epprd.mcmaster.ca
macmail.mcmaster.ca

6. Click **Close**
7. In the Internet Options window, click **OK**




Google Chrome

1. Open Google Chrome and click the Chrome menu (☰), or in older versions, the wrench icon (🔧).




2. *In Windows:* Click **Settings** (or in older versions, **Options**)
In Mac OS X: Click **Preferences...**


3. Scroll down to the Privacy heading (you may need to click **Show advanced settings...**, or in older versions, **Under the Hood**)



4. In the Privacy section, click **Content settings...**




5. In the Pop-ups section, click **Manage exceptions...**




6. In the text boxes under "Hostname pattern," type the domains listed below exactly as they appear, pressing Enter after each one:

[*.]mcmaster.ca
[*.]epprd.mcmaster.ca
macmail.mcmaster.ca




7. Click **OK**
8. Click the "x" to the right of the Settings - Content Settings tab to close it




Mozilla Firefox

1. *In Windows:* Open Firefox and click **Tools** (if you do not see Tools, press the Alt key to show the menu bar)
In Mac OS X: Open Firefox and click **Firefox**




2. *In Windows:* Click **Options**
In Mac OS X: Click **Preferences...**
3. Click the **Content** icon at the top of the Options window



4. Beside "Block pop-up windows," click the **Exceptions...** button to open the Allowed Sites - Pop-ups window


5. Where it says "Address of web site," type the following addresses, clicking **Allow** after each one:



mcmaster.ca
eprd.mcmaster.ca
macmail.mcmaster.ca

After adding those sites, click **Close**


6. Click **OK**



Safari

Safari features a pop-up blocker that can prevent new windows from opening. Please follow the instructions below to be sure that new windows that open on Pearson websites are not blocked:

1. Open Safari
2. Click **Safari** > **Preferences**



3. In the window that opens, click **Security**



4. Be sure no check appears in the box beside Block pop-up windows

5. Close the Security window

Note: To access content after disabling or configuring your pop-up blocker you may need to refresh the web page.